

《經1972年議定書修正的1961年麻醉品單一公約》附表，
截至2018年5月16日

表一 所列藥物清單

醋托啡	3- <i>O</i> -Acetyltetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine
乙酰阿法甲基芬太尼	<i>N</i> -[1-(α -Methylphenethyl)-4-piperidyl]acetanilide
乙酰芬太尼	<i>N</i> -Phenyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidyl]acetamide
醋美沙朵	3-Acetoxy-6-dimethylamino-4,4-diphenylheptane
丙烯酰芬太尼 (丙烯芬太尼)	<i>N</i> -Phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]prop-2-enamide
AH-7921	3,4-Dichloro- <i>N</i> -{[1-(dimethylamino)cyclohexyl]methyl}benzamide
阿芬太尼	<i>N</i> -[1-[2-(4-Ethyl-4,5-dihydro-5-oxo-1 <i>H</i> -tetrazol-1-yl) ethyl]-4-(methoxymethyl)-4-piperidinyl]- <i>N</i> - phenylpropanamide
烯丙羅定	3-Allyl-1-methyl-4-phenyl-4-propionoxypiperidine
阿醋美沙朵	α -3-Acetoxy-6-dimethylamino-4,4-diphenylheptane
阿法美羅定	α -3-Ethyl-1-methyl-4-phenyl-4-propionoxypiperidine
阿法美沙朵	α -6-Dimethylamino-4,4-diphenyl-3-heptanol
阿法甲基芬太尼	<i>N</i> -[1-(α -Methylphenethyl)-4-piperidyl]propionanilide
阿法甲基硫代芬太尼	<i>N</i> -[1-[1-Methyl-2-(2-thienyl)ethyl]-4-piperidyl]propionanilide
阿法羅定	α -1,3-Dimethyl-4-phenyl-4-propionoxypiperidine
阿尼利定	1- <i>p</i> -Aminophenethyl-4-phenylpiperidine-4-carboxylic acid ethyl ester
苯替啶	1-(2-Benzoyloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester
苯嗎啡	3-Benzylmorphine
倍醋美沙朵	β -3-Acetoxy-6-dimethylamino-4,4-diphenylheptane
倍他羥基芬太尼	<i>N</i> -[1-(β -Hydroxyphenethyl)-4-piperidyl]propionanilide
倍他羥基-3-甲基芬太尼	<i>N</i> -[1-(β -Hydroxyphenethyl)-3-methyl-4-piperidyl]propionanilide
倍他美羅定	β -3-Ethyl-1-methyl-4-phenyl-4-propionoxypiperidine
倍他美沙朵	β -6-Dimethylamino-4,4-diphenyl-3-heptanol
倍他羅定	β -1,3-Dimethyl-4-phenyl-4-propionoxypiperidine
貝齊米特	1-(3-Cyano-3,3-diphenylpropyl)-4-(2-oxo-3-propionyl-1-benzimidazolyl)piperidine
丁酰芬太尼	<i>N</i> -Phenyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidinyl]butanamide
大麻和大麻樹脂與大麻浸膏和酊	
卡芬太尼	Methyl 1-(2-phenylethyl)-4-[phenyl(propanoyl)amino]piperidine-4-carboxylate
氯尼他素	2-(<i>p</i> -Chlorbenzyl)-1-diethylaminoethyl-5-nitrobenzimidazole

古柯葉	
可卡因	苯甲酰愛岡寧甲脂
可多克辛	Dihydrocodeinone-6-carboxymethyloxime
罌粟桿濃縮物（罌粟桿生物鹼經濃縮所得而供貿易之用的質料。）（“罌粟桿”係指指罌粟收割後的所有部分（籽除外）...）	
地索嗎啡	Dihydrodesoxymorphine
右嗎拉胺	(+)-4-[2-Methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidiny)butyl]morpholine
地恩丙胺	<i>N</i> -[2-(Methylphenethylamino)-propyl]propionanilide
二乙噻丁	3-Diethylamino-1,1-di-(2'-thienyl)-1-butene
地芬諾辛	1-(3-Cyano-3,3-diphenylpropyl)-4-phenylisonipecotic acid
二氫埃托啡	7,8-Dihydro-7 α -[1-(<i>R</i>)-hydroxy-1-methylbutyl]-6,14- <i>endo</i> -ethanotetrahydrooripavine
雙氫嗎啡	
地美沙朶	2-Dimethylaminoethyl-1-ethoxy-1,1-diphenylacetate
地美庚醇	6-Dimethylamino-4,4-diphenyl-3-heptanol
二甲噻丁	3-Dimethylamino-1,1-di-(2'-thienyl)-1-butene
嗎苯丁酯	Ethyl-4-morpholino-2,2-diphenylbutyrate
地芬諾酯	1-(3-Cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester
地匹哌酮	4,4-Diphenyl-6-piperidine-3-heptanone
羥蒂巴酚	3,4-Dimethoxy-17-methylmorphinan-6 β ,14-diol
芽子鹼，其酯及可轉換成芽子鹼和可卡因的衍生物	
乙甲噻丁	3-Ethylmethylamino-1,1-di-(2'-thienyl)-1-butene
依托尼秦	1-Diethylaminoethyl-2- <i>p</i> -ethoxybenzyl-5-nitrobenzimidazole
埃托啡	Tetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine
依托利定	1-[2-(2-Hydroxyethoxy)-ethyl]-4-phenylpiperidine-4-carboxylic acid ethyl ester
芬太尼	1-Phenethyl-4- <i>N</i> -propionylanilinopiperidine
4-氟異丁基芬太尼(4-FIBF, pFIBF)	<i>N</i> -(4-Fluorophenyl)-2-methyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]propanamide
呋喃芬太尼	<i>N</i> -Phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]furan-2-carboxamide
呋替啶	1-(2-Tetrahydrofurfuryloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester
海洛因	Diacetylmorphine
氫可酮	Dihydrocodeinone
氫嗎啡醇	14-Hydroxydihydromorphine
氫嗎啡酮	Dihydromorphinone
羥哌替啶	4- <i>m</i> -Hydroxyphenyl-1-methylpiperidine-4-carboxylic acid ethyl ester
異美沙酮	6-(Dimethylamino)-5-methyl-4,4-diphenyl-3-hexanone

凱托米酮	4- <i>m</i> -Hydroxyphenyl-1-methyl-4-propionylpiperidine
左美沙芬 ^a	(-)-3-Methoxy- <i>N</i> -methylmorphinan
左嗎拉胺	(-)-4-[2-Methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine
左芬啡烷	(-)-3-Hydroxy- <i>N</i> -phenacylmorphinan
左啡諾 ^a	(-)-3-Hydroxy- <i>N</i> -methylmorphinan
美他佐辛	2'-Hydroxy-2,5,9-trimethyl-6,7-benzomorphan
美沙酮	6-(Dimethylamino)-4,4-diphenyl-3-heptanone
美沙酮中間體	4-Cyano-2-dimethylamino-4,4-diphenylbutane
甲地索啡	6-Methyl- <i>Δ</i> ⁶ -deoxymorphine
甲二氫嗎啡	6-Methyldihydromorphine
3-甲基芬太尼	<i>N</i> -(3-Methyl-1-phenethyl-4-piperidyl)propionanilide
3-甲基硫代芬太尼	<i>N</i> -[3-Methyl-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide
美托酮	5-Methyldihydromorphinone
嗎拉胺中間體	2-Methyl-3-morpholino-1,1-diphenylpropane carboxylic acid
嗎哌利定	1-(2-Morpholinoethyl)-4-phenylpiperidine-4- carboxylic acid ethyl ester
嗎啡	
嗎啡甲溴化物和其他五價氮嗎啡衍生物	
嗎啡- <i>N</i> -氧化物	
1-甲基-4-苯基-4-哌啶丙酸酯	1-Methyl-4-phenyl-4-piperidinol propionate (ester)
MT-45	1-Cyclohexyl-4-(1,2-diphenylethyl)piperazine
麥羅啡	Myristylbenzylmorphine
尼可嗎啡	3,6-Dinicotinylmorphine
諾美沙朵	(±)- <i>α</i> -3-Acetoxy-6-methylamino-4,4-diphenylheptane
去甲左啡諾	(-)-3-Hydroxymorphinan
去甲美沙酮	6-(Dimethylamino)-4,4-diphenyl-3-hexanone
去甲嗎啡	Demethylmorphine
諾匹哌酮	4,4-Diphenyl-6-piperidino-3-hexanone
奧芬太尼	<i>N</i> -(2-Fluorophenyl)-2-methoxy- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]acetamide
阿片	
奧列巴文	3- <i>O</i> -Demethylthebaine or 6,7,8,14-tetrahydro-4,5- <i>α</i> -epoxy-6-methoxy-17-methylmorphinan-3-ol
經考酮	14-Hydroxydihydrocodeinone

^a 右美沙芬 ((+)-3-methoxy-*N*-methylmorphinan) 及右啡烷 ((+)-3-hydroxy-*N*-methylmorphinan) 這兩種異構體明確排除在本表之外。

經嗎啡酮	14-Hydroxydihydromorphinone
對氟代芬太尼	4'-Fluoro- <i>N</i> -(1-phenethyl-4-piperidyl)propionanilide
1-苯乙基-4-苯基-4-哌啶乙酸酯	1-Phenethyl-4-phenyl-4-piperidinol acetate (ester)
哌替啶	1-Methyl-4-phenylpiperidine-4-carboxylic acid ethyl ester
哌替啶中間體 A	4-Cyano-1-methyl-4-phenylpiperidine
哌替啶中間體 B	4-Phenylpiperidine-4-carboxylic acid ethyl ester
哌替啶中間體 C	1-Methyl-4-phenylpiperidine-4-carboxylic acid
苯嗎庚酮	6-Morpholino-4,4-diphenyl-3-heptanone
非那丙胺	<i>N</i> -(1-Methyl-2-piperidinoethyl)propionanilide
非那佐辛	2'-Hydroxy-5,9-dimethyl-2-phenethyl-6,7-benzomorphan
非諾啡烷	3-Hydroxy- <i>N</i> -phenethylmorphinan
苯哌利定	1-(3-Hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester
匹米諾定	4-Phenyl-1-(3-phenylaminopropyl)-piperidine-4-carboxylic acid ethyl ester
哌肟米特	1-(3-Cyano-3,3-diphenylpropyl)-4-(1-piperidino)piperidine-4-carboxylic acid amide
普羅庚嗪	1,3-Dimethyl-4-phenyl-4-propionoxyazacycloheptane
丙哌利定	1-Methyl-4-phenylpiperidine-4-carboxylic acid isopropyl ester
消旋甲啡烷	(±)-3-Methoxy- <i>N</i> -methylmorphinan
消旋嗎拉胺	(±)-4-[2-Methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine
消旋啡烷	(±)-3-Hydroxy- <i>N</i> -methylmorphinan
瑞芬太尼	1-(2-Methoxycarbonylethyl)-4-(phenylpropionylamino)-piperidine-4-carboxylic acid methyl ester
舒芬太尼	<i>N</i> -[4-(Methoxymethyl)-1-[2-(2-thienyl)-ethyl]-4-piperidyl]propionanilide
四氫呋喃芬太尼 (THF-F)	<i>N</i> -Phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]oxolane-2-carboxamide
醋氫可酮	Acetyldihydrocodeinone
蒂巴因	
硫代芬太尼	<i>N</i> -[1-[2-(2-Thienyl)ethyl]-4-piperidyl]propionanilide
替利定	(±)-Ethyl- <i>trans</i> -2-(dimethylamino)-1-phenyl-3-cyclohexene-1-carboxylate
三甲利定	1,2,5-Trimethyl-4-phenyl-4-propionoxypiperidine
U-47700	3,4-Dichloro- <i>N</i> -(2-dimethylamino-cyclohexyl)- <i>N</i> -methyl-benzamide

本表內藥物在其特定化學名稱下可能存在的異構體，但特別註明者除外；

本表內藥物可能有的酯及醚，但見於另一附表者除外；

本表所列藥物的鹽類，包括上文所稱的酯類、醚類及異構體可能存在的鹽類。

表二所列藥物清單

醋氫可待因	
可待因	3-Methylmorphine
右丙氧芬	α -(+)-4-Dimethylamino-1,2-diphenyl-3-methyl-2-butanol propionate
雙氫可待因	
乙基嗎啡	3-Ethylmorphine
尼可待因	6-Nicotinylcodeine
尼二氫可待因	6-Nicotinyldihydrocodeine
去甲可待因	<i>N</i> -Demethylcodeine
福爾可定	Morpholinylethylmorphine
丙吡胺	<i>N</i> -(1-Methyl-2-piperidinoethyl)- <i>N</i> -2-pyridylpropionamide

本表內藥物在其特定化學名稱下可能存在的異構體，但特別註明者除外；
本表所列藥物的鹽類，包括上文所稱的異構體可能存在的鹽類。

表三所列製劑清單

1. 以下藥物的製劑:

醋氫可待因
可待因
雙氫可待因
乙基嗎啡
尼可待因
尼二氫可待因
去甲可待因
福爾可定

以上製劑與其他一種或數種成分調配、每劑量單位藥物含量不超過 100 毫克且其濃度不超過整個製劑的2.5%。

2. 丙吡胺製劑，每劑量單位含丙吡胺不超過 100 毫克並且與至少等量的甲基纖維素相調配。

3. 右丙氧芬製劑，口服製劑，其每劑量單位含有不超過135毫克的右丙氧芬鹼或其濃度不超過整個製劑的2.5%，條件是這類製劑不含有根據1971年《精神藥物公約》加以管制的任何物質。

4. 可卡因製劑，所含可卡因以可卡因鹼計算不超過0.1%；和阿片或嗎啡製劑，所含嗎啡以無水嗎啡鹼計算不超過0.2%，且因與一種或數種其他成分調配，致使其中的藥物不能以簡便方法回收，或回收的分量不能構成對公眾健康的危害。

5. 地芬諾辛製劑，每劑量單位含有不超過 0.5 毫克的地芬諾辛並含有至少相當於地芬諾辛劑量 5%的硫酸巯茄鹼。

6. 地芬諾酯製劑，每劑量單位含有以鹼計算不超過 2.5 毫克的地芬諾酯並含有至少相當於地芬諾酯劑量 1%的硫酸巯茄鹼。

7. 複方阿片吐根散

10%阿片粉
10%吐根粉
與
80%不含任何藥物的其他粉狀成分
充分混合

8. 符合本表所列任一配方的製劑以及此項製劑與不含任何藥物的原料的混合物。

表四所列藥物清單

醋托啡	3- <i>O</i> -Acetyltetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine
乙酰阿法甲基芬太尼	<i>N</i> -[1-(α -Methylphenethyl)-4-piperidyl]acetanilide
乙酰芬太尼	<i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidiny]acetamide
阿法甲基芬太尼	<i>N</i> -[1-(α -Methylphenethyl)-4-piperidyl]propionanilide
阿法甲基硫代芬太尼	<i>N</i> -[1-[1-Methyl-2-(2-thienyl)ethyl]-4-piperidyl]propionanilide
倍他羥基-3-甲基芬太尼	<i>N</i> -[1-(β -Hydroxyphenethyl)-3-methyl-4-piperidyl]propionanilide
倍他羥基芬太尼	<i>N</i> -[1-(β -Hydroxyphenethyl)-4-piperidyl]propionanilide
大麻和大麻樹脂	
地索嗎啡	Methyl 1-(2-phenylethyl)-4-[phenyl(propanoyl)amino]piperidine-4-carboxylate
埃托啡	Dihydrodesoxymorphine
海洛因	Tetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine
凱托米酮	Diacetylmorphine
3-甲基芬太尼	4- <i>m</i> -Hydroxyphenyl-1-methyl-4-propionylpiperidine
3-甲基硫代芬太尼	<i>N</i> -(3-Methyl-1-phenethyl-4-piperidyl)propionanilide
1-甲基-4-苯基-4-哌啶丙酸酯對	<i>N</i> -[3-Methyl-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide
氟代芬太尼	1-Methyl-4-phenyl-4-piperidinol propionate (ester)
1-苯乙基-4-苯基-4-哌啶乙酸酯	4'-Fluoro- <i>N</i> -(1-phenethyl-4-piperidyl)propionanilide
硫代芬太尼	1-Phenethyl-4-phenyl-4-piperidinol acetate (ester)
	<i>N</i> -[1-[2-(2-Thienyl)ethyl]-4-piperidyl]propionanilide

本表所列藥物可能形成的鹽類。